

Image

Web address:

<http://www.sciencedaily.com/releases/2012/08/120816141529.htm>

## New Form of Carbon Can Put a Dent in a Diamond

ScienceDaily (Aug. 16, 2012) — A team of scientists led by Carnegie's Lin Wang has observed a new form of very hard carbon clusters, which are unusual in their mix of crystalline and disordered structure. The material is capable of indenting diamond. This finding has potential applications for a range of mechanical, electronic, and electrochemical uses.

The work is published in *Science* on Aug. 17.

Carbon is the fourth-most-abundant element in the universe and takes on a wide variety of forms -- the honeycomb-like graphene, the pencil "lead" graphite, diamond, cylindrically structured nanotubes, and hollow spheres called fullerenes. .

Some forms of carbon are crystalline, meaning that the structure is organized in repeating atomic units. Other forms are amorphous, meaning that the structure lacks the long-range order of crystals. Hybrid products that combine both crystalline and amorphous elements had not previously been observed, although scientists believed they could be created.

Wang's team -- including Carnegie's Wenge Yang, Zhenxian Liu, Stanislav Sinogeikin, and Yue Meng -- started with a substance called carbon-60 cages, made of highly organized balls of carbon constructed of pentagon and hexagon rings bonded together to form a round, hollow shape. An organic xylene solvent was put into the spaces between the balls and formed a new structure. They then applied pressure to this combination of carbon cages and solvent, to see how it changed under different stresses.

At relatively low pressure, the carbon-60's cage structure remained. But as the pressure increased, the cage structures started to collapse into more amorphous carbon clusters. However, the amorphous clusters still occupy their original sites, forming a lattice structure.

The team discovered that there is a narrow window of pressure, about 320,000 times the normal atmosphere, under which this new structured carbon is created and does not bounce back to the cage structure when pressure is removed. This is crucial for finding practical applications for the new material going forward.

This material was capable of indenting the diamond anvil used in creating the high-pressure conditions. This means that the material is superhard.

If the solvent used to prepare the new form of carbon is removed by heat treatment, the material loses its lattice periodicity, indicating that that the solvent is crucial for maintaining the chemical transition that underlies the new structure. Because there are many similar solvents, it is theoretically possible that an array of similar, but slightly different, carbon lattices could be created using this pressure method.

"We created a new type of carbon material, one that is comparable to diamond in its inability to be compressed," Wang said. "Once created under extreme pressures, this material can exist at normal conditions, meaning it could be used for a wide array of practical applications."

Share this story on **Facebook**, **Twitter**, and **Google**:




171



34

Other social bookmarking and sharing tools:

[Share on reddit](#) [Share on stumbleupon](#) [Share on pinterest](#) [share](#) [Share on blogger](#) [Share on digg](#) [Share on fark](#) [Share on linkedin](#) [Share on myspace](#) [Share on newsvine](#) | [145](#)



The above image shows the structure of the starting material: carbon-60 solvate made with C-60 cages and m-xylene solvent. Under high pressure, the C-60 cages collapsed and transformed into amorphous carbon clusters but each cluster still occupy its original lattice site, forming a novel material of ordered amorphous clusters. (Credit: Image courtesy of Lin Wang, Carnegie Institution)

### Story Source:

The above story is reprinted from [materials](#) provided by [Carnegie Institution](#).